

Source Water Assessment Report



Public Water Supply: WILROADS GARDEN SCHOOL–USD 443

**Assessment Areas Include:
741**



Kansas Department of Health and Environment
Bureau of Water Watershed Management Section
1000 SW Jackson St., Suite 420
Topeka, KS 66612–1367



Burns & McDonnell
9400 Ward Parkway
Kansas City, MO 64114



Kansas Geological Survey University of Kansas
1930 Constant Ave.
Lawrence, KS 66047

Reports were generated with the Automated Source Water Assessment Tool (ASWAT). Assessments were completed online using ASWAT by hundreds of state employees, public water supply staff, and technical assistant providers throughout the State of Kansas.

Table Of Contents

<u>Report Description</u>	
<u>Assessment Area 741</u>	<u>1.0</u>
<u>Executive Summary</u>	<u>1.1</u>
<u>Potential Sources</u>	<u>1.2</u>
<u>Added Sources</u>	<u>1.3</u>
<u>Potential Contaminants Summary</u>	<u>1.4</u>
<u>Potential Contaminants Listing</u>	<u>1.5</u>
<u>Protection Measures</u>	<u>1.6</u>
<u>Assessment Analysis</u>	<u>1.7</u>
<u>Site Comments</u>	<u>1.8</u>
<u>Added Site Comments</u>	<u>1.9</u>
<u>Analysis Question Comments</u>	<u>1.10</u>

Report Description

Detailed Explanation of Entire Report:

The 1996 amendments to the Safe Drinking Water Act require each state to develop a Source Water Assessment Program (SWAP) and a Source Water Assessment (SWA) for each Public Water Supply (PWS) that treats and distributes raw source water. In Kansas there are 761 public water supplies that require SWAs. A SWA includes a delineation of the source water assessment area, an inventory of potential contaminant sources, and a susceptibility analysis.

A PWS can consist of one or more individual assessment areas that require different assessments. In general, an assessment area is delineated at a two-mile fixed radius for a groundwater well. A surface water intake assessment area is the upstream-drainage area (watershed), inside the state border. Additionally, an assessment area can consist of an individual well, group of wells, an individual surface water intake, or multiple surface water intakes.

After each assessment is completed a report is automatically generated using an Internet-based application called the Automated Source Water Assessment Tool (ASWAT). The individual assessment reports combine to form the entire SWA report for a PWS.

A map of each Assessment Area was also generated with ASWAT. However, for security reasons the maps are not included in this report. To obtain a copy of the map(s), please contact your local PWS.

All PWS reports will be available for viewing and downloading on KDHE's Watershed Management Section website(<http://www.kdhe.state.ks.us/nps>) in 2004.

WILROADS GARDEN SCHOOL–USD 443 Summary:

AA	Type	Diversion Id
741	Ground water single well	002

Public Water Supply: **WILROADS GARDEN SCHOOL–USD 443**
Assessment Area: **741**
Diversion Id's: **002**
Status: **Accepted**
Submit Date: **2003–02–18 15:33:58**

Executive Summary:

The Executive Summary gives the assessment area's Susceptibility Likelihood Score (SLS) for each contaminant of concern category.

SLS indicates which contaminant category is most likely to impact a given public water supply. Contaminants of concern for groundwater include microbiological, inorganic compounds, nitrates, synthetic organic compounds, pesticides, and volatile organic compounds. Contaminants of concern for surface water include microbiological, inorganic compounds, eutrophication – phosphorus, sedimentation, synthetic organic compounds, pesticides, and volatile organic compounds.

To determine the assessment area's susceptibility to contamination, a qualitative (semi–quantitative) screening level susceptibility analysis was designed that utilizes general assumptions and best professional judgement. It is a systematic procedure comprised of simple yes/no questions. Each question in the susceptibility analysis focuses on the presence or absence of potential pollution sources in the assessment area. SLS is most useful in helping the Public Water Supply (PWS) focus on water quality protection actions towards a contaminant category of concern. For example, if the SLS for microbiological contamination is high, relative to volatile organic compounds (VOC), water supply protection planners would conclude that the attention should be directed towards microbiological contaminant sources rather than VOC sources.

Executive Summary

Public Water Supply: **WILROADS GARDEN SCHOOL–USD 443**

Assessment Area: **741**

Susceptibility Likelihood Scores for Assessment Area

Contaminant Category	A	B	B*	C	C*	D
Susceptibility Likelihood Score – SLS	60	56	61	64	59	63
SLS Range	Mid	Mid	Mid	Mid	Mid	Mid

A – Microbiological

B* – Nitrates

C* – Pesticides

B – Inorganic Compounds

C – Synthetic Organic Compounds

D – Volatile Organic Compounds

Susceptibility Likelihood Range

SLS Range	
0–50	Low Susceptibility
51–80	Moderate Susceptibility
81–100	High Susceptibility

Public Water Supply: **WILROADS GARDEN SCHOOL–USD 443**
Assessment Area: **741**
Diversion Id's: **002**
Status: **Accepted**
Submit Date: **2003–02–18 15:33:58**

Potential Sources:

The Potential Sources section lists all the sites that have been identified as potential sources of contamination.

Potential sources of contamination may include land uses, industry, or businesses that could generate or store chemicals/substances that could potentially contaminate the water supply only if released into the environment. Both unregulated sites from business location databases and regulated sites from various KDHE databases were compiled. Additional sites could have been added by an evaluator through the assessment process to supplement the original data.

The 1987 Standard Industrial Classifications (SIC) were used to identify potential contaminate sites. The SIC system classifies establishments into industries on the basis of the primary activities of the establishment.

Each assessment area is delineated with 3 assessment zones. These zones can be used to get a general understanding of the potential influence sites have based on proximity to the water supply. Zone A is a 100-foot radius around a groundwater well and a 1000-foot radius around a surface water intake. Zone B is a 2000-foot radius around wells and a hydrological delineated buffer around the surface water sources. Zone C is a 2-mile radius around wells and the balance of the watershed for intakes. The potential sources listed in this section are sorted to show all the potential sources in Zone A first, Zone B second, and Zone C third.

Although a facility or business is identified in the study as a potential concern, it does not necessarily mean a release or spill has occurred. Contamination could only occur if certain chemical substances are released into the environment and filter into the water supply source.

The data for the potential sources of contamination was compiled from May through August in 2002. Some of the databases used were incomplete datasets that are continually being updated. Due to the incompleteness, inaccuracies, and new development, it is possible that sources of potential contamination that are in the assessment area are not included in the report. Inaccurate locations could also cause sources to show up in the assessment area that are not actually in the assessment. Additionally, duplication between the datasets could cause sites to show up multiple times in the assessment area.

Potential Sources

Public Water Supply: **WILROADS GARDEN SCHOOL–USD 443**

Assessment Area: **741**

Unregulated Potential Site Sources

Source No.	SIC Description	SIC ID	Zone
214614	Auto Truck Repair Service	7538	B
214628	Cattle Farm	211	C
214622	Single–family Housing Construction	1521	C
214624	Local Trucking, without Storage	4212	C

Regulated Confined Animal Feeding Operations Potential Site Sources

Source No.	Source Name	ID/Permit No.	Zone
2002792	Coake Feeding Company, Inc.	A–UAFO–C003	C
2002836	Wilroads Feed Yard	A–UAFO–C014	C
2002923	Winter Feed Yard, Inc.	A–UAFO–C001	C

Regulated Hazardous Waste Potential Site Sources

Did Not Contain Any Of These Potential Site Sources

Regulated Leaking Storage Tank Potential Site Sources

Did Not Contain Any Of These Potential Site Sources

Regulated Identified Contaminated Potential Site Sources

Source No.	Source Name	ID/Permit No.	Zone
7000036	EXCEL BEEF (MBPXL)	C102900026	C

Regulated Solid Waste Potential Site Sources

Did Not Contain Any Of These Potential Site Sources

Regulated Waste Water Potential Site Sources

Source No.	Source Name	ID/Permit No.	Zone
6000913	WEST PLAINS – JUDSON LARGE	I-UA11-PO02	C
6000914	EXCEL CORP.– DODGE CITY	I-UA11-PO10	C
6000930	FORT DODGE SOLDIERS HOME	I-UA45-PO01	C
6001834	WILROADS GARDENS IMP. DISTRICT	M-UA11-NO02	C
6001877	KANSAS SOLDIERS HOME WWTP	M-UA45-NO01	C

Public Water Supply: **WILROADS GARDEN SCHOOL–USD 443**
Assessment Area: **741**
Diversion Id's: **002**
Status: **Accepted**
Submit Date: **2003–02–18 15:33:58**

Added Sources:

The Added Sources section lists all the sites that have been added as potential sources of contamination by an evaluator through the assessment process to supplement the original data.

The potential sources listed in this section are sorted to show the added potential sources in Zone A first, Zone B second, and Zone C third.

Although a facility or business was added as a potential concern, it does not necessarily mean a release or spill has occurred. Contamination could only occur if certain chemical substances are released into the environment and filter into the water supply source.

Added Sources

Public Water Supply: **WILROADS GARDEN SCHOOL–USD 443**
Assessment Area: **741**

Added Potential Site Sources

Source No.	Source Name	SIC ID	Zone
9001293	grove of trees	0	B
9001295	grove of trees	0	B
9001304	grove of trees	0	B
9001349	rural residence	0	B
9001313	Fuel, grain and feed and hay storage	10026	B
9001292	discharging lagoons	10075	B
9001294	cropland	115	B
9001303	cropland	115	B
9001312	cropland	115	B
9001350	Beef Packing Plant	2011	B

Public Water Supply: **WILROADS GARDEN SCHOOL–USD 443**
Assessment Area: **741**
Diversion Id's: **002**
Status: **Accepted**
Submit Date: **2003–02–18 15:33:58**

Potential Contaminants Summary:

The Contaminants Summary shows the number of identified unregulated sources in the assessment area for each contaminant of concern category.

In order to obtain the number of sources for each category, a relationship was correlated between each Standard Industrial Classification (SIC) and the contaminant of concern categories. Each SIC was assessed and associated with contaminant categories. For example, if not managed properly, a car wash (SIC 7542) could potentially contaminate an intake because of inorganic compounds (IOC) and volatile organic compounds (VOC); thus, a car wash is associated with IOCs and VOCs.

A chart displays a count for each contaminant category. The sum for each category represents the total number of identified sources that have been associated with that particular contaminant category. However, the total number of identified sources does not include contaminants from the Added Sources. In our example, a car wash would be considered 2 sources of contamination. It would be a potential source of contamination for IOCs and for VOCs; thus, 1 would be added to the total number of sources in the VOC category and 1 would be added to the IOC category.

Potential Contaminants Summary

Public Water Supply: **WILROADS GARDEN SCHOOL–USD 443**

Assessment Area: **741**

Number of Unregulated Site Sources Identified for each Contaminant Category

MicroBiological	Pesticides	IOC's	SOC's	VOC's	Nitrates
2	1	2	1	2	2

A – Microbiological

B* – Nitrates

C* – Pesticides

B – Inorganic Compounds

C – Synthetic Organic Compounds

D – Volatile Organic Compounds

Public Water Supply: **WILROADS GARDEN SCHOOL–USD 443**
Assessment Area: **741**
Diversion Id's: **002**
Status: **Accepted**
Submit Date: **2003–02–18 15:33:58**

Potential Contaminants Listing:

The Potential Contaminants section lists the contaminant of concern category associated with each Standard Industrial Classification (SIC) found in an assessment area. A complete list of contaminant category codes are located at the bottom of this page.

The relationships defined between the Standard Industrial Classifications (SIC) and the contaminant of concern categories are displayed in a table format. Using our car wash example, the relationships can be better illustrated. A car wash could release IOC and VOC chemical substances. The connection is shown by indicating the SIC, 7542, and the associated contaminant categories, IOC (Category B) and VOC (Category D). However, the contaminants listed are not associated with any Added Sources.

The list is sorted by the SIC source description and it only shows unique SIC sources. For example, an assessment area can have 20 car washes in an assessment area, but the list is only going to show contaminant categories associated with car washes onetime. This is because all car washes have the same SIC and every car wash poses the same potential threat to water intakes.

A – Microbiological	B – Inorganic Compounds	B1 – Eutrophication – Phosphorous
B2 – Sedimentation	B* – Nitrates	C – Synthetic Organic Compounds
C* – Pesticides	D – Volatile Organic Compounds	

Potential Contaminants Listing

Public Water Supply: **WILROADS GARDEN SCHOOL–USD 443**

Assessment Area: **741**

Unregulated Identified Site Sources and associated Potential Contaminant Category

SIC ID	SIC Source	Potential Contaminant	Contaminant Category
7538	Auto Truck Repair Service	Inorganics, VOCs	B
"	"	"	D
211	Cattle Farm	Sanitary, Fertilizers TSS, pesticides, Erosion and sedimentation	A
"	"	"	B
"	"	"	B1
"	"	"	B2
"	"	"	B*
"	"	"	C*
4212	Local Trucking, without Storage	VOCs	D
1521	Single–family Housing Construction	Oil, Paint, Pesticides, Fertilizers	A
"	"	"	B1
"	"	"	B2
"	"	"	B*
"	"	"	C

Public Water Supply: **WILROADS GARDEN SCHOOL–USD 443**
Assessment Area: **741**
Diversion Id's: **002**
Status: **Accepted**
Submit Date: **2003–02–18 15:33:58**

Protection Measures:

The Protection Measures section shows water quality protection measures for the Standard Industrial Classifications (SIC) identified in the assessment area.

Previous sections of this report are designed to show areas that Public Water Supplies (PWS) can focus on to improve the susceptibility of an assessment area. This section helps identify water quality protection measures that a PWS can use as guidance for implementing action for a potential contaminant site in the assessment area. It focuses on protection measures that can reduce the risk of contamination to the water supply.

This portion of the report only displays water quality protection measures for each type of SIC found in the assessment area. It does not display protection measures for each site in the assessment area because every SIC should have the same or similar water quality protection management practices. However, the protection measures listed are not associated with any Added Sources.

Protection Measures

Public Water Supply: **WILROADS GARDEN SCHOOL–USD 443**

Assessment Area: **741**

Recommended Water Quality Protection Measures

SIC	SIC Source	Contaminant Source	Water Quality Protection Measure	Regulatory Authority
7538	Auto Truck Repair Service	Inorganics, VOCs	Discharge to POTW. Manage oil products and used oil so that it is not in contact with water	40 CFR 442 and
211	Cattle Farm	Sanitary, Fertilizers TSS, pesticides, Erosion and sedimentation	Proper application of fertilizers and pesticides. Proper cleaning of equipment and disposal of chemicals. Maintain riparian areas along waterways and keep cattle out of these areas. Proper Waste Management and Grazing Management.	KDHE–Livestock Waste Management Section, KAR 28–16, KDA, County Soil Conservation District, NRCS
4212	Local Trucking, without Storage	VOCs	Discharge to a POTW	State or federal Storm water pollution prevention regulations
1521	Single–family Housing Construction	Oil, Paint, Pesticides, Fertilizers	Proper cleaning and disposal of household hazardous waste. Proper storage, application, and clean up of pesticides and fertilizers	KAR 28–48, KDHE, KDEM

Public Water Supply: **WILROADS GARDEN SCHOOL–USD 443**
Assessment Area: **741**
Diversion Id's: **002**
Status: **Accepted**
Submit Date: **2003–02–18 15:33:58**

Assessment Analysis:

The Assessment Analysis section displays the numbers assigned to each contaminant of concern category for each question in the susceptibility analysis.

This analysis is based on a decision tree framework consisting of a series of yes/no questions. These questions consider the proximity of contaminant sources to the water supply intake, the type of contaminant, and the application of pollution prevention or water quality protection practices to sources of contamination. As the evaluator moves through the analytical framework, susceptibility points are accumulated based on the presence of contaminant sources in the assessment area.

After all the questions have been answered, the SLS is calculated for each contaminant of concern category. The SLS is determined by counting the number of contamination risk factors found to occur in the delineated assessment area and applying a multiplier to this number. Because the number of contaminant category risk factors is not equal, the multiplier is used to establish a common scale for the SLS of each contaminant category.

Assessment Analysis

Public Water Supply: **WILROADS GARDEN SCHOOL–USD 443**

Assessment Area: **741**

Ground Water Single Well Analysis

A – Microbiological **B** – Inorganic Compounds

B* – Nitrates **C** – Synthetic Organic Compounds

C* – Pesticides **D** – Volatile Organic Compounds

No.	Question	Response	A	B	B*	C	C*	D
1	Is the well under the influence of surface water?	No	0	0	0	0	0	0
2	Does the well meet KS water well construction standards?	Yes	0	0	0	0	0	0
3	Is the depth of the well less than 30 feet?	No	0	0	0	0	0	0
4	Are there unplugged, abandoned water wells present in Zone A?	No	0	0	0	0	0	0
5	Is there gravel pack within 20 feet of the surface?	No	0	0	0	0	0	0
6	Does a PWS own or control Zone A?	Yes	0	0	0	0	0	0
7	Does Zone A consist entirely of native grass?	No	1	1	1	1	1	1
8	Is there a contaminated well in the Zone A?	No	0	0	0	0	0	0
9	Is a class V UIC well present?	No	0	0	0	0	0	0
10	Are any commercial, industrial, or urban areas present in Zone B?	Yes	1	1	1	1	1	1
11	Does each industrial/commercial site and urban area have a water quality protection plan in place?	No	1	1	1	1	1	1
12	Are any non–farm home sites present in Zone B?	Yes	1	0	1	0	1	0
13	Do all the non–farm home sites have a water quality protection plan?	No	1	0	1	0	1	0
14	Are any farmsteads present in Zone B?	Yes	1	1	1	1	1	1
15	Do all farmsteads have a water quality protection plan?	No	1	1	1	1	1	1
16	Does Zone B consist entirely of native grass?	No	1	1	1	1	1	1
17	Is there grazing livestock in Zone B?	Yes	1	0	1	0	0	0

No.	Question	Response	A	B	B*	C	C*	D
18	Do all the livestock producers have water quality protection measures in place?	No	1	0	1	0	0	0
19	Is there livestock confinement in Zone B?	No	0	0	0	0	0	0
20	Is each confined animal feeding operation registered with KDHE?	Yes	0	0	0	0	0	0
21	Is there corn or grain sorghum production in Zone B?	Yes	0	0	1	0	1	0
22	Are corn/grain sorghum nutrient and pesticide management plans in use for each site?	No	0	0	1	0	1	0
23	Are any orchards present in Zone B?	No	0	0	0	0	0	0
24	Are orchard nutrient and pesticide plans in use for each site?	Yes	0	0	0	0	0	0
25	Are there unsewered developments (concentrations of lagoons or septic systems) present in Zone B?	No	0	0	0	0	0	0
26	Is there a railroad or major highway in Zone B or C?	Yes	0	1	1	1	1	1
27	Is there oil production in Zone B or C?	Yes	0	1	0	1	0	1
28	Do coarse textured soils predominate Zones A, B and C?	Yes	1	1	1	1	1	1
29	Is an irrigation well located in Zone B or C?	Yes	0	1	1	1	1	1
30	Is a wastewater treatment facility in Zone B or C?	Yes	1	1	1	1	1	1
31	Is a solid waste landfill in Zone B or C?	No	0	0	0	0	0	0
32	Are there unplugged, abandoned water wells present in Zone B or C?	Yes	1	0	0	0	0	0
33	Are any commercial, industrial, or urban areas present in Zone C?	Yes	1	1	1	1	1	1
34	Are water quality protection plans in use for each site/area?	No	1	1	1	1	1	1
35	Is there livestock confinement in Zone C?	Yes	1	1	1	1	1	0
36	Is each confined livestock facility registered with KDHE?	Yes	0	0	0	0	0	0
37	Do all the livestock producers have water quality protection measures in place?	No	1	0	1	0	0	0
38	Are cropland nutrient management plans in place?	No	0	0	1	0	0	0
39	Are cropland pesticide management plans in place?	No	0	0	0	0	1	0
40	Does a perennial stream flow into Zone C?	Yes	1	1	1	1	1	1
41	Are watershed water quality protection plans in place?	No	1	1	1	1	1	1

Public Water Supply: **WILROADS GARDEN SCHOOL–USD 443**
Assessment Area: **741**
Diversion Id's: **002**
Status: **Accepted**
Submit Date: **2003–02–18 15:33:58**

Site Comments:

The Site Comments section lists all the comments that were added for the potential sources of contamination found in the assessment area.

Local comments and feedback from people that are familiar with the assessment area is an important aspect of the assessment. The comments greatly improve the assessment by adding detail to the sites that can be referenced for more information.

This local information may include comments on potential contamination threats (or lack there of), local water quality protection initiatives, etc. Adding comments are optional and are mainly focused on sources in areas that could have the greatest impact on water supply if a spill or release occurred in the environment. It is left to the discretion of the PWS and/or source water assessment committee to add comments.

Site Comments

Public Water Supply: **WILROADS GARDEN SCHOOL–USD 443**

Assessment Area: **741**

Comments for Unregulated Sites

Did Not Receive Any Comments

Comments for Regulated Confined Animal Feeding Operations Sites

Potential Contaminant Site Name	Site No.	Site Comments	Author
Coake Feeding Company, Inc.	2002792	This cattle livestock facility has no water quality protection plans.	Nicole Fisher
Wilroads Feed Yard	2002836	This cattle livestock facility has no water quality protection plans.	Nicole Fisher
Winter Feed Yard, Inc.	2002923	This cattle livestock facility has no water quality protection plans.	Nicole Fisher

Comments for Regulated Hazardous Waste Sites

Did Not Receive Any Comments

Comments for Regulated Leaking Storage Tank Sites

Did Not Receive Any Comments

Comments for Regulated Identified Contaminated Sites

Potential Contaminant Site Name	Site No.	Site Comments	Author
EXCEL BEEF (MBPXL)	7000036	The soil and groundwater are contaminated with chloride and nitrate from a local business. An extraction well was constructed and started pumping in 2002 in order to limit the contamination of the groundwater. For information contact Wally Mack (785) 296-1614	Nicole Fisher

Comments for Regulated Solid Waste Sites

Did Not Receive Any Comments

Comments for Regulated Waste Water Sites

Potential Contaminant Site Name	Site No.	Site Comments	Author
WILROADS GARDENS IMP. DISTRICT	6001834	This facility uses non-discharging lagoons.	Nicole Fisher

Public Water Supply: **WILROADS GARDEN SCHOOL–USD 443**
Assessment Area: **741**
Diversion Id's: **002**
Status: **Accepted**
Submit Date: **2003–02–18 15:33:58**

Added Site Comments:

The Added Site Comments section lists the comments for why sites were added as a potential source of contamination found to the assessment area.

Added Site Comments

Public Water Supply: **WILROADS GARDEN SCHOOL–USD 443**

Assessment Area: **741**

Comments for Added Contaminant Sites

Added Contaminant Site Name	Site No.	Site Comments	Author
Beef Packing Plant	9001350	This site could contaminate the public water supply.	Nicole Fisher
Fuel, grain and feed and hay storage	9001313	This site could contaminate the public water supply.	Nicole Fisher
cropland	9001294	This site could contaminate the public water supply.	Nicole Fisher
cropland	9001303	This site could contaminate the public water supply.	Nicole Fisher
cropland	9001312	This site could contaminate the public water supply.	Nicole Fisher
discharging lagoons	9001292	This site could contaminate the public water supply.	Nicole Fisher
grove of trees	9001293	This is an important buffer to prevent contamination into the public water supply.	Nicole Fisher
grove of trees	9001295	This is an important buffer to prevent contamination into the public water supply.	Nicole Fisher
grove of trees	9001304	This is an important buffer to prevent contamination into the public water supply.	Nicole Fisher
rural residence	9001349	This site could contaminate the public water supply.	Nicole Fisher

Public Water Supply: **WILROADS GARDEN SCHOOL–USD 443**
Assessment Area: **741**
Diversion Id's: **002**
Status: **Accepted**
Submit Date: **2003–02–18 15:33:58**

Analysis Question Comments:

The Analysis Question Comments section lists all the comments that were added during analysis portion of the assessment, in which a series of yes/no questions were asked.

Evaluators have the option to add comments to questions to clarify why a response was given or to give more details to a question. Local comments and feedback from people that are familiar with the assessment area is an important aspect of the assessment. The comments greatly improve the assessment by adding clarification and details that could not be identified with a simple yes or no response.

Analysis Question Comments

Public Water Supply: **WILROADS GARDEN SCHOOL–USD 443**
Assessment Area: **741**

Comments for Analysis Questions

Analysis Question	Question Comments	Author
Did Not Receive Any Comments		